Appendix 2D Public Information Day No.1 & 2 – Questionnaire

Landscape & Visual Amenity

Comment:

Angling, Tourism & Recreation

Comment:

•••

Comment:			

The Office of Public Works (OPW) undertakes to hold any information provided to it by individuals on others on a confidential basis, subject to the OPW's obligations under law, including the Freedom of Information Act. If, for any reason, it is intended that information provided to the OPW should not be disclosed due to the sensitive nature of such information, it is incumbent on the person or body supplying the information to make clear this wish and to specify the reasons for the information's sensitivity. The OPW wil consult with any individual or body so supplying sensitive information before making a decision on any freedom of information request received.

THANK YOU FOR YOUR CO-OPERATION

		COPPEN The Office of Public Wass office and addressed to Public	ARUF
--	--	---	------

(P	lease complete this que		rian Keville, McCarthy Keville O'Sullivan, Blc <u>lle@mccarthykos.ie</u> by Friday 26 th July 2013		Moneer
1.	Name (optional): _				
	Address:				
	– Phone (optional):		Email (optional):		
	Are you aware of t		Risk Assessment and Management Stud	y, CFRAMS	and its
or r	recommendations?			Yes 🛛	No
3.	Do you own, rent or	occupy a property with	in the study area being considered?	Yes 🛛	No
4.	Address of property	y (if different from home	e address)		
5.	Have you had any	personal experience of	flooding?	Yes 🛛	No
6.	lf yes, please give a	date(s):	Most recent		
			Previous		
7.	Type of property flo	ooded:	Previous		
	Residential		Retail		
	Office		Workshop		
	Open Space		Other		
	ther, please describe	e:			
lf o					
lf o 8.	Approximate maxi	mum depth of flooding:			
8.	Approximate maxi Source of Flooding:	mum depth of flooding: <u>.</u>	Directly from River/ Stream		
8.		mum depth of flooding: <u>.</u>	Directly from River/ Stream From Drains		
8.		mum depth of flooding: <u>.</u>	Directly from River/ Stream		
8. 9.			Directly from River/ Stream From Drains	Yes 🗆	No
8. 9. 10.	Source of Flooding: Do you have photog If you do, may the C		Directly from River/ Stream From Drains Overground flow (surface water)	Yes □ Yes □	No No







If so, please describe:

13. Please indicate, in order of preference, your preferred flood defence works: (please score from 1-11 as appropriate)

No Works (Do Nothing)	Non-Structural Measures (e.g. flood warning system or individual property protection)
Relocation of Properties and/or infrastructure	Reconstruction of Properties and/or infrastructure to a higher level
Flow Diversion (e.g. river diversion or flood flow bypass channel)	For Lower Lee specifically, Works to facilitate a revised operating regime for Carrigadrohid and Inniscarra dams for the purposes of flood risk management
Flood Containment through Construction of Flood Defences	Increase Conveyance of Channel (upstream and/or through and/or downstream of the town)
Sediment Deposition and Possible Sediment Traps	Pump storm waters from behind flood defences
Flow Reduction (e.g. upstream catchment management or flood storage)	

14. How do you think the issue of flooding can be resolved?

15. In your opinion, how important are the following environmental constraints to the proposed Flood Relief Scheme for Cork City? (please tick appropriate boxes)

Issue	Very Important	Important	Moderately Important	Of Little Importance	Unimportant
Flora and Fauna					
Local Fisheries					
Habitats					
Water Quality					
Architectural and Cultural Heritage					
Landscape and Visual Amenity					
Angling, Tourism & Recreation					

If you have any comments relating to the proposed scheme or the constraints, please record them here:

Flora and Fauna

Comment:

Local Fisheries

Comment:

Habitats

Comment:

Water Quality

Comment:

Architectural & Cultural Heritage

Comment:





LOWER LEE (CORK CITY) FLOOD RELIEF SCHEME

(INCLUDING BLACKPOOL AND BALLYVOLANE)

PUBLIC CONSULTATION NO.2 – EMERGING OPTIONS COMMENT SHEET

(Please complete this comment form and return to Brian Keville, McCarthy Keville O' Sullivan, Block 1 GFSC, Moneenageisha Road, Galway or bkeville@mccarthykos.ie by Friday 29th August 2014).

Name (optional):					
Address:					
Phone (optional):		Email (optional):			
Questions:					
1. Did you atte	nd the first Publi	ic Informa	tion Day held on 19 th .	July 2013? Yes 🗆	No E
2. How did you	ı hear about toda	y's Public	Information Day?		
3. What part o	f the study area h	nave you a	particular interest ir	1?	
4. Have you ar	ıy personal exper	ience of fl	ooding?	Yes 🗆	No 🗆
5. If yes, please give o	e give date(s):		Most recent		
			Previous		_
			Previous		_
6. Type of pro	perty flooded:				
Resid	ential			Retail	
Offic	e			Workshop	
Open	Space			Other	
lf other, please	describe:				

Having reviewed the details of the emerging preferred options, we would appreciate your comments:

Are there any other flood alleviation options or measures you would suggest should be considered?

Further comment can be made through the project website at <u>www.lowerleefrs.ie</u>. All information on display will be available on the website. Alternatively please send further comments by email or post to Brian Keville, McCarthy Keville O' Sullivan, Block 1 GFSC, Moneenageisha Road, Galway or <u>bkeville@mccarthykos.ie</u>.

The Office of Public Works (OPW) undertakes to hold any information provided to it by individuals or others on a confidential basis, subject to the OPW's obligations under law, including the Freedom of Information Act. If, for any reason, it is intended that information provided to the OPW should not be disclosed due to the sensitive nature of such information, it is incumbent on the person or body supplying the information to make clear this wish and to specify the reasons for the information's sensitivity. The OPW will consult with any individual or body so supplying sensitive information before making a decision on any freedom of information request received.

THANK YOU FOR YOUR CO-OPERATION